



WARRANTY AND SERVICE HANDBOOK





Congratulations!

Thank you for choosing Husqvarna, and congratulations on your new purchase!

To maintain the same premium quality throughout the lifetime of your product, it is important that your machine is serviced regularly. This should be done at an authorised Husqvarna Servicing Dealer, as they have access to Husqvarna genuine spare parts and have permission to handle warranty claims.

By following the recommended service intervals and schedules, we will guarantee to do our best to keep you satisfied with your Husqvarna product.

Best wishes,
Husqvarna

Where to go for Warranty Repairs

Take your product to any authorised Husqvarna Servicing Dealer if it needs warranty repairs within 30 days of the failure date.

All authorised Husqvarna Servicing Dealers will honour the new product warranty, and will repair, replace or adjust free of charge any part of your product that is defective in factory materials or workmanship.

Please note that Husqvarna is unable to reimburse the cost of repairs carried out during the warranty period by a repairer other than an authorised Husqvarna Servicing Dealer.

**FIND YOUR NEAREST AUTHORISED HUSQVARNA SERVICING DEALER AT
WWW.HUSQVARNA.COM**

AUSTRALIA CUSTOMER SUPPORT:
1300 804 105

Statement of Warranty

I. HUSQVARNA'S MANUFACTURER'S WARRANTY (AUSTRALIA)

A. General Terms & Conditions

Husqvarna provides a manufacturer's warranty to the initial purchaser for each new Husqvarna® branded product that is sold by an Authorised Husqvarna Supplier in Australia. This warranty provides such initial purchaser (not transferable) with a guarantee against faulty workmanship in manufacture and/or defective components for the warranty period (see Part II, below) from the date of purchase. The benefits given by this manufacturer's warranty are in addition to other rights and remedies of the consumer under any law in relation to the goods to which this warranty relates (see Part III and Part IV, below).

B. Making a Claim

If any product supplied by Husqvarna Australia that is found to be defective due to faulty manufacture and/or defective components within the warranty period, Husqvarna, through its Authorised Servicing Dealers, will repair or replace the product to the customer at Husqvarna's cost providing:

- Proof of purchase is provided.
- The fault is not caused by misuse, neglect, adjustments and or modifications by the consumer.
- The consumer presents the product at an Authorised Servicing Dealer's premises.
- Failure has not occurred through normal wear and tear.
- Spare part warranty period is only applicable provided they are installed by a qualified and /or authorised person.

Any costs incurred to obtain warranty consideration or services is the consumers responsibility, including shipping and handling, travel expenses, lost time, or pickup and delivery.

C. Consumer Responsibilities

Please take reasonable steps to maintain the products as outlined in the maintenance section of the owners/operators manual or handbooks. Husqvarna cannot be held responsible for any damage or deterioration to the product due the product being exposed to adverse climatic conditions or owner neglect misuse or abuse.

Warranty Periods

II.

HAND-HELD PRODUCTS													
APPLICATION		Petrol Chainsaws & Pole Saws		Petrol Trimmers & Brushcutters ³		Petrol Hedge Trimmers & Blowers		Power Cutters	Battery Products (HH & Wheeled)		40B / BLi Batteries		Sprayers
		Commercial	Domestic	Commercial	Domestic	Commercial	Domestic		Commercial	Domestic	Commercial (40-8140X to 540X), BLi950X	Domestic	
	Domestic Use Warranty	5 YEARS ¹	5 YEARS ¹	5 YEARS ¹	5 YEARS ¹	5 YEARS ¹	5 YEARS ¹	1 YEAR	5 YEARS ⁶	5 YEARS ⁶	3 YEARS	3 YEARS	2 YEARS
	Commercial/Government Use Warranty	2 YEARS	1 YEAR	2 YEARS	1 YEAR	2 YEARS	1 YEAR	1 YEAR	2 YEARS	3 MONTHS	1 YEAR	1 YEAR	6 MONTHS
	Rental Use Warranty	6 MONTHS	3 MONTHS	6 MONTHS	3 MONTHS	6 MONTHS	3 MONTHS	3 MONTHS	6 MONTHS	3 MONTHS	6 MONTHS	3 MONTHS	3 MONTHS
	Qualifying Product	500 SERIES 3120 XP	100 SERIES 400 SERIES	500 SERIES	100 SERIES 300 SERIES	500 SERIES	100 SERIES	K535i K770 K970 K4000	500 SERIES	100-400 SERIES 300 SERIES	36 VOLT	36 VOLT	15 L 8 L 15 L

OTHER				
Battery Chargers, Accessories / Attachments, Protective Equipment and Spare Parts	Battery Chargers	Accessories / Attachments/ Husqvarna Engines*	Protective Equipment	Spare Parts
Domestic Use Warranty	1 YEAR	1 YEAR	6 MONTHS	3 MONTHS
Commercial/Government Use Warranty	1 YEAR	6 MONTHS	3 MONTHS	1 MONTH
Rental Use Warranty	3 MONTHS	3 MONTHS	1 MONTH	1 MONTH

ASPIRE PRODUCTS - ALL	
Domestic Use Warranty	2 YEARS
Commercial/Government Use Warranty	N/A

BATTERIES FITTED TO PETROL / DIESEL WHEELED PRODUCT	
Warranty	1 YEAR
Qualifying Product	RIDER LAWN TRACTOR ZERO TURN V500 STAND-ON

The warranty periods, all products, commences on the date of purchase

¹ A qualifying purchase of Genuine Husqvarna oil and registration on the Husqvarna Product Registration system applies. Standard warranty Period of 2 Years applies if no supporting purchase or registration is made.

⁶ Must be serviced as per the schedules outlined in the owners manual or annually (which ever comes first) at an Authorised Husqvarna Dealer

Warranty Periods continued..

WHEELED PRODUCTS															
APPLICATION		Walk Behind Mowers		Front Deck Riders		ZTR* Zero Turn Mowers			Lawn Tractors	Battery Ride on Mowers	Tillers & Cultivators	Robotic Lawn Mowers	Robotic Lawn Mowers 500 series / CEORA	Pressure Washers	Wet & Dry Vacuums
		Commercial	Domestic	Commercial	Domestic	Commercial	Domestic	Land Owner				300-400 Series AM		Domestic	Domestic
	Domestic Use Warranty	5 YEARS¹	5 YEARS¹	5 YEARS¹	5 YEARS¹	5 YEARS¹	5 YEARS¹	5 YEARS¹	5 YEARS¹	5 YEARS 250 HOURS**	5 YEARS¹	2 YEARS⁴⁵	2 YEARS	2 YEARS	2 YEARS
	Commercial/Government Use Warranty	2 YEARS	1 YEAR	5 YEARS²	1 YEAR	5 YEARS²	1 YEAR	2 YEARS	1 YEAR		1 YEAR	2 YEARS⁴⁵	2 YEARS	3 MONTHS	3 MONTHS
	Rental Use Warranty	6 MONTHS	3 MONTHS	1 YEAR	3 MONTHS	1 YEAR	3 MONTHS	3 MONTHS	3 MONTHS		3 MONTHS	3 MONTHS	3 MONTHS	3 MONTHS	3 MONTHS
	Qualifying Product	LC19AP LC500 LB500	LC118 LC219P LC419A	P500² SERIES	R200 SERIES R300 SERIES	500 SERIES ZTR² 500 SERIES STAND-ON²	100 SERIES 200 SERIES MZ SERIES	Z460	100 SERIES 200 SERIES 300 SERIES		300 SERIES 400 SERIES	300 SERIES 400 SERIES	500 SERIES CEORA	ALL MODELS	WDC 220 WDC 325L

* Engines purchased to refit onto a Husqvarna or other product

BATTERY PRODUCTS			
	MAX Series	Batteries	Chargers
Domestic Use Warranty	2 YEARS	3 YEARS	1 YEAR
Commercial/Government Use Warranty	3 MONTHS	6 MONTHS	1 YEAR

The warranty periods commence on the date of purchase

¹ A qualifying purchase of Genuine Husqvarna oil and registration on the Husqvarna Product Registration system applies. Standard warranty Period of 2 Years applies if no supporting purchase or registration is made. ² P525D, Z50Q, V500 - 5 years / 2000 hours ³ Lifetime warranty on solid drive shafts to Original Purchaser. ⁴ Conditions of additional 3 year warranty extension (totalling 5 year/ 6000hrs) - Customer must purchase Automower Cleaning Kit. Automower must be serviced as per schedules outlined in the owners manual or annually (whichever comes first) at an Authorised Husqvarna Dealer. Product must not exceed manufacturers working area. ⁵ Only applies to 300-400 series Automowers. Domestic applications only. ⁶ Term limited to 5 years from date of purchase or 250 hours of machine usage for complete product apart from battery. Battery warranty - 2 years / 250 hours, whichever comes first.

III. ADDITIONAL STATUTORY WARRANTIES (AUSTRALIA ONLY)

Our goods come with guarantees that cannot be excluded under the Australian consumer law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

IV. WHAT LEGAL ENTITY IS PROVIDING THESE WARRANTIES

The herein described warranties (both manufacturers and statutory) are provided by the following entities:

A. Within Australia this warranty is provided by Husqvarna Australia Pty Ltd (ABN 45 115 475 619) 4 Pioneer Avenue, Tuggerah NSW 2259. Ph: 1300 804 105.

5 Year Domestic Warranty Program

TO EXTEND THE STANDARD 2 YEAR DOMESTIC WARRANTY TO A TOTAL OF 5 YEARS:

- A. The consumer must purchase the required minimum pack quantity of genuine Husqvarna oil with the respective Husqvarna finished product at the point of purchase. Minimum genuine Husqvarna oil purchase requirements that apply to Husqvarna finished product purchases are listed as follows:
- **2-STROKE HANDHELD PRODUCTS (EXCLUDING CHAINSAWS):**
Minimum 1 (one) litre of Husqvarna branded 2 Stroke Oil
 - **HOMEOWNER PETROL CHAINSAWS:**
Minimum 1 (one) litre of Husqvarna branded 2 Stroke Oil
PLUS a minimum 2 (two) litres of Husqvarna Bar and Chain Oil
 - **ALL OTHER PETROL CHAINSAWS:**
Minimum 1 (one) litre of Husqvarna branded 2 Stroke Oil
PLUS a minimum 5 (five) litres of Husqvarna Bar and Chain Oil
 - **4-STROKE HANDHELD PRODUCTS:**
Minimum of 1 (one) litre of Husqvarna branded 4 Stroke Oil
 - **4-STROKE WALK BEHIND PRODUCTS:**
Minimum 2 (two) litres of Husqvarna branded 4 Stroke Oil
 - **4-STROKE RIDE-ON PRODUCTS:**
Minimum 4 (four) litres of Husqvarna branded 4 Stroke Oil
- Where multiple products are purchased, a qualifying purchase of oil must be made for each individual product, for each product to qualify for the additional warranty period.
- B. Product must be registered and the consumer to obtain a copy of the product registration verifying their purchase, and the extended warranty from the participating Husqvarna Dealer at the time of purchase.

5 Year Domestic Extended Warranty

Battery Product	Standard Warranty		Extended Warranty	
	Domestic Use	Commercial Use	Domestic Use	Commercial / PRO Use
100 / 200 series	2 YEARS	3 MONTHS	5 YEARS	-
300 / 400 series	2 YEARS	3 MONTHS	5 YEARS	-
500 series	2 YEARS	2 YEARS	5 YEARS	See separate conditions for Services by Husqvarna (Purchase Service Plus & Warranty Plus) for Pro battery products.
Batteries	3 YEARS	1 YEAR	-	See separate conditions for Services by Husqvarna (Purchase Warranty Plus) for Pro battery products.
Chargers	1 YEAR	1 YEAR	-	See separate conditions for Services by Husqvarna (Purchase Warranty Plus) for Pro battery products.

***To extend the standard warranty of Battery products to a total of 5 years (100 - 400 series - domestic use), the battery product must be registered and serviced as per the schedules outlined in the owners manual or annually (which ever comes first) an authorised Husqvarna Servicing Dealer.**

Product	Standard Warranty	Extended Warranty
Automower® 300-400 series (Domestic use)	2 years / 3,000 hrs	5 years / 6,000 hrs (Only applies to 300-400 series Automowers. Domestic applications only)
Automower 500 Series / CEORA	2 Years	See separate conditions for Services by Husqvarna (Purchase Service Plus & Warranty Plus) for Pro Robotics

To extend the standard warranty to a total of 5 years or 6,000 working hours, the Automower® (300 - 400 series - domestic use only) must be serviced as per the schedules outlined in the owners manual or annually (which ever comes first) at an authorised Husqvarna Servicing Dealer AND the consumer must purchase a cleaning and maintenance kit with the Automower® at point of purchase. Automower® must not exceed manufacturers recommended working area.

CUSTOMER RESPONSIBILITIES RELATING TO WARRANTY CLAIMS

The Customer has the right to submit their Husqvarna product for warranty consideration to any authorised Husqvarna Servicing Dealer. It is the Customer's responsibility to furnish the authorised Husqvarna Servicing Dealer with proof of purchase information, such as a receipt.

The receipt or other relevant proof of purchase would enable the dealer to determine if the warranty claim falls within the accepted warranty time period for any particular product.

The Customer must exhibit reasonable care in the maintenance, operation, storage and general upkeep practices as explained in the maintenance section of the Operator's Manual provided with the product. This includes the whole product or any general wear item or component on the product

WARRANTY EXCLUSIONS

- Any part or components for which the Warranty has expired.
- Parts that are not specifically recommended by Husqvarna or are not genuine Husqvarna replacement parts or accessories
- Parts that are not installed or otherwise serviced by an authorised Husqvarna Servicing Dealer (excluding consumables).
- Normal wear of parts and components and visual appearance items, such as paint or stickers. Normal customer maintenance items, including but not limited to (blades, blade adaptors, trimmer head components (except mounting plates), bulbs, filters, lubricants, springs, cables, wear protection, seals etc). Unless due to original manufacturing fault.
- Accident, abuse, misuse, negligence and neglect, including, dirt, abrasives, moisture, rust, corrosion including plant residue (palm sap) etc., or any adverse reaction due to incorrect storage habits.
- Alterations or modifications that affect the unit's performance, operation, safety, durability, change its intended use or cause failure of compliance with current regulatory standards.
- Additional damage to parts or components due to continued use occurring after any of the above.
- Robotic mower batteries and wheel motors – 24 Months or the remainder of the standard product warranty if fitted free of charge under the terms of this limited warranty.
- Automower® installation - 2 years on parts only.

Regular Care for Longer Life

Appropriate and regular maintenance is essential for optimised performance and longevity of your Husqvarna Automower®.

Every single part constituting your Husqvarna Automower® is rigorously studied and tested to ensure that each component interacts optimally with each other. This interaction confirms the reliability that you are entitled to require from a Husqvarna product.

Remember to have your Automower® serviced as per the schedules outlined in the owners manual or annually (which ever comes first) at an approved Husqvarna Servicing Dealer.

Please consult your dealer for regular maintenance recommendations.

CLEANING	BLADE REPLACEMENT	ANNUAL SERVICE
Always wear protective gloves and ensure that the power switch is in the OFF position. To avoid damaging sensitive electronics, do not use a water hose or high pressure washer when cleaning your Husqvarna Automower®. • Check the cutting disc can rotate freely and that the protective disc can rotate freely without hindrance. • Inspect the blades and replace if necessary. • Clean the underneath and wheels using a brush, and wipe the mower body with a damp cloth. • We recommend that you have a separate brush, gloves, chisel and a knife that you only use when cleaning your Husqvarna Automower®. <i>For full details, please read the operator's manual.</i>	Always wear protective gloves and ensure that the power switch is in the OFF position. • Turn your Husqvarna Automower® over and place it on a soft, clean surface. • Loosen screws and remove blades. Use a screwdriver. • Clean the cutting disk using a brush. Do not use a high pressure washer or a hose. • Tighten a new blade with a new screw by hand. Never reuse old screws. Make sure the blades rotates freely. <i>For full details, please read the operator's manual.</i> Attention: For best performance, always use Genuine Husqvarna Blades.	Your Husqvarna Automower® works hard for you, often in dirty, dusty and even wet conditions. In order to keep it in good condition, regular service is key. Our dealer network has trained technicians that follow a set service plan, update software and use only genuine Husqvarna parts ensuring up-time and quality.

Automower® Dealer service checklist

Service checklist for preventive maintenance according to service plan. Additional repairs might be required due to damaged machine or worn out parts/components. We only use original spare parts and accessories approved by Husqvarna. We don't compromise regarding product safety.

1. PREPARATIONS

1.1 Place the mower on your Automower® Workbench (if available) and visually inspect it. The Automower® Workbench will save you time and give you a more ergonomic experience during the service.

1.2 Connect the product to Autocheck and perform a full Autotest. If available, update the mower software with the latest firmware.

1.3 Study the service messages for any recommended upgrades.

1.4 NOTE! If any hardware upgrades are recommended from the service messages and the chassis halves need to be split, replace sealing strip, warranty decal and perform Autocheck test

1.5 NOTE! If the chassis needs to be split, make sure that the screws that are removed are replaced in the same screw holes they were removed from. Ensure to not cross thread any screw holes and do not over-tighten the screws (Maximum tightening torque is 1,5 Nm). Do not use a power tool when putting the chassis together.

2. BODY

2.1 Remove the body. Clean the body and chassis incl wheels. If using a low pressure hose it is recommended to ONLY wash the body, covers and wheels. Make sure to protect the connectors from water penetration. Use pressurized air to blow the connector dry. Use a wet brush together with a moist cloth for the chassis.

2.2 Clean the ultrasonic sensors and/or headlights (if applicable) carefully. When a low pressure hose is used don't forget to protect the connectors from water penetration.

2.3 Check the cable and connector to the charging contacts on the body.

2.4 Check the rubber grommets on the chassis to ensure proper sealing. Replace the cable assy(s) if any grommet is cracked or damaged.

3. CHASSIS AND WHEELS

3.1 Ventilation filter. Inspect the ventilation filter and clean carefully with a soft brush. The ventilation filter should be replaced after three years of use (If applicable).

3.2 Display cover. Inspect the hinge for the display cover and add grease to the springs if needed (P1). Grease the locking plate (P2). Clean the area around the display cover hinge to make smooth operation and full functionality of the hinge.

3.3 Bearings. Inspect front/back wheel bearing(s) and Link arm bearings (AWD). Replace the bearing(s) if damaged or broken.

3.4 Wheels. Inspect the condition of the front- and rear wheels. Replace if damaged.

3.5 Check the rubber cap on the main switch (Generation 2 mowers). The rubber cap must not be damaged.

3.6 Bellows/Gaiters. Check the rubber bellows/gaiters on the cutting height adjuster, front collision column and rear collision column. Replace if damaged.

3.7 Check the tightening torque on the front- and rear collision columns. Maximum tightening torque is 1,5 Nm on the rear column and 3,0 Nm on the front collision column.

3. CHASSIS AND WHEELS continued

3.8 Check mobility and condition of the front lifting columns (105.305.308).

3.9 Chassis screws. Check tightening torque of chassis screws. Always use a manual driver in order not to destroy the plastic threads. Maximum tightening torque is 1,5 Nm. (see 1.5).

3.10 Replace blades and blade screws. Use the Blade replacement bit (596 33 98-01) to minimize the risk of destroying the screw head. service as per Husqvarna service guide.

3.11 Inspect skid plate and skid plate bearing. Replace the bearing if damaged or broken.

3.12 Remove and replace wheel motors, strip and service as per Husqvarna service guide.

4. CHARGING

4.1 Clean the charging station by using a wet brush and/or a moist cloth.

4.2 Inspect and polish the charging plates on the mower and in the charging station.

4.3 Check that docking and charging works correctly.

4.4 Fully charge the battery.

This is a generic dealer service checklist covering multiple models, some features and service check points are not applicable for all models.

Battery Range Maintenance Schedule

ALL HANDHELD BATTERY PRODUCTS

MAINTENANCE	DAILY	WEEKLY	YEARLY
Clean the outside of the machine with a clean and dry cloth. Never use water.	X		
Keep handles dry, clean and free from oil and grease.	X		
Make sure that the Activate and Deactivate button works correctly and is not damaged.	X		
Check that all controls are undamaged and are in working order.	X		
Make sure the power trigger lock and the power trigger function works correctly from a safety point of view.	X		
Check that safety guards and covers are undamaged and not cracked.	X		
Check that the nuts and screws are tight.	X		
Check the battery is intact.	X		
Check the battery's charge.	X		
Check that the release buttons on the battery work and lock the battery into the machine.	X		
Check that the battery charger is intact and functional.	X		
Check that all couplings, connections and cables are intact and free from dirt.		X	
Check the connections between the battery and the machine, and also check the connection between battery and the battery charger.		X	
Products to be connected to the Husqvarna Service Hub (HSH) at Husqvarna Dealership, to update firmware, perform diagnostics and ensure correct functionality of equipment.			X

CHAINSAW SPECIFIC

MAINTENANCE	DAILY	WEEKLY	YEARLY
Empty and clean oil tank.			X
Inspect drive sprocket.		X	
Inspect and maintain cutting equipment.		X	
Inspect chain brake, chain adjuster and chain catcher.		X	
Ensure side cover is mounted correctly.		X	
Ensure correct bar / chain oiling.		X	
Check saw chain with regards to visible cracks in the rivets and links, whether the saw chains is stiff or whether the rivets and links are abnormally worn. Replace if necessary.		X	
Ensure cutting covers and guards are in place.		X	

HEDGE TRIMMER SPECIFIC


MAINTENANCE	DAILY	WEEKLY	YEARLY
Clean any resin and plant residue from the blades using cleaning agent before and after using the machine.		X	
Check that the blade edges are not damaged or deformed. File away any burrs. Check that the blades move freely.		X	
Lubricate the blade bars before long periods of storage. Ask your dealer or Husqvarna should you need more information.		X	

ALL HANDHELD BATTERY PRODUCTS




Clean battery and the machine with a soft brush after use. Make sure all slots and connectors are cleaned.

CHAINSAW SPECIFIC



Check that the chain catcher is not damaged and is firmly attached to the body of the chain saw.

HEDGE TRIMMER SPECIFIC



Lubricate blade bars before long periods of storage with synthetic lubricating grease in aerosol form.

Items that fall outside of Warranty

- Normal customer maintenance items which become worn through use, including, but not limited to, belts, blades, blade adapters, bearings, bulbs, filters, guide bars, lubricants, tyres, rewind springs, saw chain, spark plugs, starter ropes, tines, drive chains and components of trimmer head.
- Natural discolouration of material due to ultraviolet light.
- Using stale or incorrect fuel mixture in the product.
- Any product used other than for its designed, recommended or intended purpose.
- Any defects caused by natural disasters, lightning, water, fire, wind, storms or caused by abuse or theft of the product.
- In the case of electrical products, any damages due to surges in the electrical power to which the product is connected.
- Damage resulting from pests, mice, cockroaches, slugs, snails, other animals or insects.
- Adverse reaction due to incorrect storage and usage habits or contact with corrosive substances such as fertiliser, grass and plant residue including palm tree sap, bore water and other detrimental environmental exposure.
- Failure to operate the unit in accordance with the Owners/Operators manual, this handbook or instruction furnished by Husqvarna related to Australian conditions.
- Additional damage to parts or components due to continued use occurring after any of the above.
- Unauthorised modification of product and use of non-genuine spare parts.

Maintenance Schedule

CHAINSAWS, POWER CUTTERS	INTERVAL				TRIMMERS, BRUSHCUTTERS, HEDGE TRIMMERS, POLE SAW	INTERVAL				BLOWERS	INTERVAL			
	1	2	3	4		1	2	3	4		1	2	3	4
Complete Unit	I	I	I/C	I	Complete Unit	I	I	I/C	I	Complete Unit	I	I	I/C	I
On Off Switch	I	I	I	I	On Off Switch	I	I	I	I	On Off Switch	I	I	I	I
Choke/Primer	I/A	I	I/A	I	Choke/Primer	I/A	I	I/A	I	Choke/Primer	I/A	I	I/A	I
Throttle Lock	I	I	I	I	Throttle Lock	I	I	I	I	Throttle Trigger	I	I	I	I
Throttle Trigger	I	I	I	I	Throttle Trigger	I	I	I	I	Cables and Connections	I/A	I	I/A	I
Cables and Connections	I/A	I	I/A	I	Cables and Connections	I/A	I	I/A	I	Fuel Filter	I	I	R	
Fuel Filter	I	I	R		Fuel Filter	I	I	R		Carburettor	T	T	T	
Carburettor	T	T	T		Carburettor	T	T	T		Air Filter	I	I	C/R	I/C
Air Filter	I	I	C/R	I/C	Air Filter	I	I	C/R	I/C	Spark Plug	I	I/C	R	I
Clutch	I	I	I		Clutch	I	I	I		Cooling Fins	I	I/C	C	
Spark Plug	I	I/C	R	I	Spark Plug	I	I/C	R	I	Starter Cord	I	I	I	I
Cooling fins	I	I/C	C	C	Cooling fins	I	I/C	C	C	Starter Housing Vents	I	I/C	C	C
Starter Cord	I	I	I	I	Starter Cord	I	I	I/R	I	Spark Arrestor	I	I	I/C	I
Starter Housing vents	I	I/C	C	C	Starter Housing vents	I	I/C	C	C	All Screws and Nuts	I	I	I	I
Spark Arrestor	I	I	I/C	I	Spark Arrestor	I	I	I/C	I	Anti Vibration Mounts	I	I	I	
All Screws and Nuts	I	I	I	I	All Screws and Nuts	I	I	I	I	Air Tube	I	I	I	
Anti Vibration Mounts	I	I	I		Anti Vibration Mounts	I	I	I		Bag	I	I	I	
Oil Tank	I	I	I		Blades	I	I	S	I/R	Blower Fan	I	I	I/C	
Chain Oil Pump	I	I	I	I/A	Nylon Head	I	I	C	I/C	Test Unit	A	A	A	
Drive Sprocket	I	I	I	I	Gearbox	I	I	L	I					
Bar/Dress	I	I	I/C	I/C	Guard	I	I	I/C	I					
Cutting Equip	I	I	S	S/R	Test Unit	A	A	A						
Chain Catcher	I	I	I	I										
Chainbrake	I	I	I	I										
Test Unit	A	A	A											

LEGEND:
INTERVAL:
DEALER SERVICE:

I = Inspect, T= Tune, R= Replace, C = Clean, S = Sharpen, A = Adjust L = Lubricate
1 = Pre Delivery, 2 = First Service at 10 hours, 3 = Dealer Service, 4 = Every time the machine is used
Domestic = Every 12 months or 50 Hours (whichever occurs first), Professional = Every 3 months or 50 hours (whichever occurs first)

Maintenance Schedule

TRACTORS, ZERO TURNS & STAND-ONS	INTERVAL				BATTERY PRODUCTS	INTERVAL				LAWN MOWERS / TILLERS	INTERVAL			
	1	2	3	4		1	2	3	4		1	2	3	4
Complete Unit	I	I	I/C	I	Complete Unit	I	I	I/C	I	Complete Unit	I	I	I/C	I
Ignition Switch	I	I	I	I	Key Pad	I	I	I	I	Choke/Primer	I	I	I	I
Choke/Primer	I/A	I	I/A	I	Throttle Trigger	I	I	I	I	Throttle	I/A	I	I/A	I
Throttle	A	I	I/A	I	Battery Connections	I	I	I/C	I	Cables and Connections	I/A	I	I/A	I
Deck	A	I/A	A/C	I/C	All screws and nuts	I	I	I/C	I	Fuel Filter	I	I	R	
Cables and Connections	I/A	I	I/A	I	Handle & controls functionality	I	I	I/C	I	Carburettor	T	T	T	
Fuel Filter	I	I	R		TRIMMERS & HEDGE TRIMMERS	INTERVAL				Air Filter	I	I	C/R	I/C
Carburettor	T	T	T			I	2	3	4	Spark Plug	I	I/C	R	
Air Filter	I	I	C/R	I/C		I	I	I/C	I	Cooling fins	I	I/C	C	
Clutch (if fitted)	I	I	I		Guard	I	I/C	I/C	1	Engine Oil (4 stroke)	I	R	R	I
Spark Plugs	I	I/C	R		Nylon Head	I	I	S/R	I	Oil Filter (4 stroke if fitted)	I	R	R	
Cooling fins	I	I/C	C		Blade	INTERVAL				Valve Clearances (4 stroke)	I/A		I/A	
Engine Oil	I	R	R	I	CHAINSAWS	I	2	3	4	Spark Arrestor	I	I	I	I
Oil Filter (if fitted)	I	R	R			I	I	I/C		Blades	I	I	I/R	I
Valve Clearances	I/A		I/A			I	I	I	I	Linkages	A	I	A	
Grease Points	L	L	L		Sprocket	I	I	I/R	I/R	Starter Cord	I	I	I	I
Spark Arrestor	I	I	I		Bar / Dress	I	I	I/C	I/C	Drive System (if fitted)	I/A	I/A	I/A	I/A
Tyre Pressures	A	A	A	I	Cutting Equipment	I	I	S/R	S/R	Belts (if fitted)	I	I	I	I
Battery	I	I	I		Chain Catcher	I	I	I	I	Gearbox Oil/Grease	I	I	I/R	I
Belts	I	I	I	I	Chain Brake	I	I	I	I	Handles	I/A	I/A	A	
Blades	I	I	S	I	Test Unit	A	A	A		Check for loose fasteners	I	I	I	
Steering	I	I	I		AWD Riders - Change oil after the first 8 hours. Replace hydraulic oil and filter once a year or every 200 hours, whichever occurs first.					Test Unit	A	A	A	
Linkages	A	I	A											
Transmission	I	I	I		LEGEND: INTERVAL: DEALER SERVICE:									
Check for loose fasteners	I	I	I											
Test Unit	A	A	A											

I = Inspect, T = Tune, R = Replace, C = Clean, S = Sharpen, A = Adjust, L = Lubricate
 1 = Pre Delivery, 2 = First Service at 10 hours, 3 = Dealer Service, 4 = Every time the machine is used
 Domestic = Every 12 months or 50 Hours (whichever occurs first), Professional = Every 3 months or 50 hours (whichever occurs first)

Air Filter Maintenance

FOR HUSQVARNA POWER PRODUCTS OPERATING IN AUSTRALIAN CONDITIONS

Many areas have a dry, dusty environment, and so caring for the air filter fitted to your new Husqvarna product is an extremely important task. Therefore, the following instructions must be adhered to.

FOAM AIR FILTERS

All foam air filters must be treated with FOAM FILTER OIL before the new machine is used. The foam filter oil must be reapplied every time the air filter is cleaned. The foam filter oil helps to trap dust particles that otherwise could be ingested into the engine.

FELT FILTERS (NON WOVEN)

Felt filters should be cleaned by vigorously shaking the filter in a mix of warm soapy water, rinsed in clean water and then left to dry. Once dry, the filter should be treated with a light spray of fabric air filter spray.

PAPER FILTERS

It is not possible to successfully clean a paper air filter without the risk of damaging it; therefore, paper air filters should always be replaced when dirty.

NYLON FILTERS

Regular cleaning is required.

AIR FILTER CLEANING INSTRUCTIONS

The interval between air filter cleaning will vary for each application.

- Step 1. Move the choke control to the ON position to prevent particles of dirt entering the air intake or carburettor.
- Step 2. Carefully remove the air filter and gently tap the air filter frame against a firm object to dislodge any accumulation of dust particles.
- Step 3. If the air filter has two halves, insert a screwdriver between the moulded lugs and carefully separate them by twisting the screwdriver.
- Step 4. Using warm water and detergent (dishwashing liquid) or a specialised filter cleaner, agitate the air filter vigorously to wash the dirt from the felt material. Rinse in clean water and then allow the air filter to dry completely before reassembly and treatment.

NOTE: An air filter that has been in service for a long time cannot be completely cleaned. Therefore, air filters must be replaced at regular intervals - worn or damaged air filters should never be used and must be replaced immediately.

Do not use compressed air or a stiff brush - as this may damage the filter.

Your Husqvarna dealer will be able to provide additional advice on air filter maintenance.

Fuel/oil mixture recommendation

FOR HUSQVARNA POWER PRODUCTS OPERATING IN AUSTRALIAN CONDITIONS

FUEL TYPES:

Husqvarna two stroke engines are designed to run on clean, fresh, unleaded petrol. Fuel has a limited shelf life so ensure fuel mix used is no older than 30 days old.

OIL TYPES:

Husqvarna two stroke engines require a two stroke oil designed and formulated for high performance, air cooled, two stroke engines.

The preferred oil is **Husqvarna Branded Two Stroke Oil** which has been specially developed for high performance air cooled two stroke engines.

FUEL/OIL MIXTURE RATIOS:

50:1 (2%)

With Husqvarna branded two-stroke oil

PETROL - LITRE	TWO-STROKE OIL - ML
1	20
2	40
5	100
10	200

Service - an important document

SAFE DELIVERY

Your Husqvarna product has, before delivery to you, gone through a thorough Pre-Delivery Inspection.

Here, we have checked items listed in the Pre-Delivery Inspection report in accordance with Husqvarna Specification.

MAINTENANCE SERVICE

A machine's performance, durability and environmental impact depends upon, among other things, how the product is operated, conditions of use, and of course, how the item is maintained.

To ensure optimum performance of your Husqvarna product, Husqvarna has developed a comprehensive maintenance program that includes several inspections and maintenance operations.

Please consult your Owner's Manual and Warranty and Service Handbook for more information.

WARRANTY & SERVICE BOOK

This service book provides information regarding the different repairs and servicing options available, and the history of all operations carried out on your Husqvarna machine.

YOUR RESPONSIBILITIES

To ensure the reliability, function and safety of the product, as well as avoiding costly repairs, you as the customer can contribute by following the maintenance schedule as indicated in the Operators Manual supplied with the product.

For scheduled maintenance, please follow the Dealer Service Plan.

All potential costs for transport and handling that occur when handing in the product to the dealer for service, are covered by the customer.

By providing proof of each operation performed and ensuring that each inspection is noted and stamped in your service book, will increase the product value and keep your machine safe.

DEALER SERVICE PLAN

PRE-DELIVERY INSPECTION

The Pre-Delivery inspection has been carried out before we hand the product over to you, so that you can use your new product right from the start.

This Pre-Delivery service was carried out on:

.....

☐ Date:

.....

☐ Estimated Next Service Date:

.....

☐ Notes:

.....
.....
.....
.....

☐ Copy of the Pre-Delivery Inspection (PDI) Checklist presented to customer.

1ST SERVICE

10 HOURS OF OPERATION

☐ Service Date

.....

☐ Operating / Run Time

.....

☐ Estimated Next Service Date

.....

☐ Dealer Sign (Name and Stamp)

.....

☐ Notes:

.....
.....
.....
.....

☐ Copy of the Service Checklist presented to the customer.

DEALER SERVICE

☐ Service Date

.....

☐ Operating / Run Time

.....

☐ Estimated Next Service Date

.....

☐ Dealer Sign (Name and Stamp)

.....

☐ Notes:

.....
.....
.....
.....

☐ Copy of the Service Checklist presented to the customer.

DEALER SERVICE

☐ Service Date

☐ Operating / Run Time

☐ Estimated Next Service Date

☐ Dealer Sign (Name and Stamp)

☐ Notes:

☐ Copy of the Service Checklist presented to the customer.

DEALER SERVICE

☐ Service Date

☐ Operating / Run Time

☐ Estimated Next Service Date

☐ Dealer Sign (Name and Stamp)

☐ Notes:

☐ Copy of the Service Checklist presented to the customer.

DEALER SERVICE

☐ Service Date

☐ Operating / Run Time

☐ Estimated Next Service Date

☐ Dealer Sign (Name and Stamp)

☐ Notes:

☐ Copy of the Service Checklist presented to the customer.

DEALER SERVICE

☐ Service Date

☐ Operating / Run Time

☐ Estimated Next Service Date

☐ Dealer Sign (Name and Stamp)

☐ Notes:

☐ Copy of the Service Checklist presented to the customer.

DEALER SERVICE

☐ Service Date

☐ Operating / Run Time

☐ Estimated Next Service Date

☐ Dealer Sign (Name and Stamp)

☐ Notes:

☐ Copy of the Service Checklist presented to the customer.

DEALER SERVICE

☐ Service Date

☐ Operating / Run Time

☐ Estimated Next Service Date

☐ Dealer Sign (Name and Stamp)

☐ Notes:

☐ Copy of the Service Checklist presented to the customer.

Services by Husqvarna



HUSQVARNA
Lease Plus | Service Plus | Warranty Plus